

FARMIN

SAFETY INSTRUCTIONS

Keep away from the children, food and feed. Do not inhale the vapor. Use mask, special dress and glove during application. Do not eat, drink and smoke during application.

Disposal Method: Dispose the empty containers in accordance to the procedures. In case of poisoning nosebleeds, bleeding gums, bloody urine, abdominal pain and discoloration of the skin becomes.

Difenacoum Acute Toxicity: LD₅₀ oral rat: 1,8mg/kg

Denatonium Benzoate: LD₅₀ oral mice: 749mg/kg

First Aid:

Common Symptoms: Call the doctor and do not give liquid to the unconscious person.

Breath: Take the person to fresh air who breathe the vapor of the product for a long time.

Skin: Wash with soap.

Eye: Wash your eyes with water for 15-20 minutes and go to a doctor.

Swallow: If swallowed wash your mouth with water. If the product swallowed too much call a doctor. Do not induce vomiting if you do not give anything until medical assistance through the mouth if the patient unconscious. Go to a doctor, product have blood thinner and the effect can last long.

1- Especially in the case of high amounts held, a few days after the swallowing person controlling a number of times prothrombinic activities are recommended.

2- In animals, especially domestic animals, can be seen if swallowed clotting disorders may be the result of vitamin K₁ in blood loss.

Antidote and required information: Difenacoum configure an anticoagulant.

Vitamin K₁ (Phytomenadione) is the antidote. Do not determine the clotting time of 18 hours before being swallowed. If prolonged clotting time hold over, give vitamin K₁ until they return to normal (3-4 weeks) per day 0,25mg / kg. After the interruption of the antidote, please check the coagulation time for two weeks.

Start treatment again if prolonged clotting seen during this time.

Items to be considered when using and storing :

Store material in original packaging.

Anything to eat, drink smoke is prohibited.

Warehouse must be dry, cool and well ventilated.

Keep away from food, beverages, animal feed.

Keep away from heat and fire.

Do not store with incompatible materials .

Warehouse must be cleaned regularly, ventilation systems, temperature and humidity controls must be performed regularly.

All items should be kept closed when not in use in original packaging.

Antidote is vitamin K1.

Toxic for bees, fishes and aquatic organisms.

Harmfulness Statement and Description.

H400:Toxic in Aquatic environment.

H373:Results in prolonged and repeated exposure may cause organ damage.

Precautionary Statements and Description

P260:Avoid breathing dust/fume/gas/mist/vapours/spray.

P273: Avoid release to the environment.

P314: Get medical advice/attention if you feel unwell.

P391: Collect spillage.

P501: Dispose of contents/container according to local regulations.



Warning Statement : Danger